


SB 152

Spare parts list Hydraulic breakers

SB 152 s/n BES043707 –



General information

This spare parts list applies to the following:

Part number	Description
8460030040	SB 152

Use only authorized parts. Any damage or malfunction caused by the use of unauthorized parts is not covered by Warranty or Product Liability. Any unauthorized use or copying of the contents or any part thereof is prohibited. This applies in particular to trademarks, model denominations, part numbers, and drawings.

Instructions for use

This spare parts list contains no safety regulations and is merely intended to assist in the ordering of spare parts.

For information about operating, servicing, or repairing, the relevant Safety and operating instructions must be consulted at all costs.

Please observe the safety instructions listed in the relevant Safety and operating instructions!

Kits and consumables 1

Spare parts list

Spare parts list 3

Optional parts - Bushing oversize, complete 6

Optional parts - Restrictor, complete 9

Tightening torque

Tightening torque 11

Working tools

Working tools SB 152 13

Accessories

Optional equipment 15

Hydraulic hoses 17

Kits

Label kit 19

Seal kit 21

Lower hammer part kit 23

Accumulator repair kit 25

Dimensions


Dimensions (mm) 27

Kits and consumables

Service offers resume SB152	Item	Description
Lubricants	1	Chisel paste cartridge (for manual greasing)
	2	Chisel paste cartridge for ContiLube® II Micro
Main wear part	3	Impact ring
	4	Lock buffer
	5	Lock pin
	6	Retainer bar
	7	Wear bush
Rebuild&Overhaul kits	8	Label kit
Start-Up Kits	9	Start-Up Kit Blunt
	10	Start-Up Kit Chisel (cross)
	11	Start-Up Kit Chisel (X-Profile)
	12	Start-Up Kit Moil point
	13	Start-Up Kit Moil point (X-Profile)
	14	Start-Up Kit Plus
Wear&Repair Kits	15	ACC umulator repair kit
	16	Lower breaker part kit
	17	Seal kit

Item	Part No.	Name	Qty	L
1	3363094913	Chisel paste cartridge for grease gun, 12 x 400 g (0.88 lbs)	1	
2	3363106447	Chisel paste cartridge, 150 g x 12, 0.33 lb x 12	1	
3	3315291800	Stop ring	1	
4	3315141900	Lock buffer	1	
5	3315293000	Lock pin	1	
6	3315147000	Retainer bar	1	
7	3315353980	Bushing standard, complete	1	
8	3315290591	Label kit	1	
9	3382070047	Start-Up Kit Blunt	1	
10	3382070045	Start-Up Kit Chisel (cross)	1	
11	3382070046	Start-Up Kit Chisel (X-Profile)	1	
12	3382070043	Start-Up Kit Moil point	1	
13	3382070044	Start-Up Kit Moil point (X-Profile)	1	
14	3315419503	Start-Up Kit Plus	1	
15	3315282490	Accumulator repair kit	1	
16	3315352140	Lower hammer part kit	1	
17	3315290590	Seal kit	1	

Spare parts list Spare parts list



Refer to the Parts Online web page for most up-to-date information. The printed information might be outdated.

Item	Part No.	Name	Qty	L
1	-	Breaker body	1	
2	3315353980	Bushing standard, complete	1	A
3	--	Bushing, ø75 mm, ø2.95 in.	1	
4	3315356400	Scraper ring	1	
5	0663210289	O-ring, 64.5 x 3 mm (90 shore), 2.53 x 0.12 in.	4	
6	3315291800	Stop ring	1	
7	0686100009	Plug, Ø10 mm, Ø0.39 in.	1	
8	0686644207	Hex. sock. plug	6	B
9	3315395200	Water Nossle	1	
10	3315293000	Lock pin	1	
11	0108169126	Spring pin, option	1	
12	3315147000	Retainer bar	2	
13	3315141900	Lock buffer	1	
14	0686371801	Plug, VSTI R 3/8 - ED	4	C
15	3315293300	Coil spring	1	
16	3315288900	Diaphragm support	1	
17	3315289000	Diaphragm	1	
18	3315282400	Accumulator house	1	
19	0211196534	Hexagon socket screw, Screw with extra high fatigue strength.	8	D
20	0686371805	Plug VSTI R 1/8-ED	1	E
21	3115329002	Seal, SRC 8 x 14 x 2.4 mm	1	
22	0663212000	O-ring 13.3 x 2.4 mm (70 shore), 0.52 x 0.09 in.	1	
23	3315366000	Charge valve	1	
24	0663211400	O-ring 7.3 x 2.4 mm (70 shore), 0.28 x 0.09 in.	1	
25	0101414000	Parallel pin D4 x 25 mm, D4 x 0.98 in.	1	
26	0580001846	Nipple, complete	1	F
27	--	Nipple	1	
28	0664000003	Seal ring	1	
29	0663905501	O-ring, 12.42 x 1.78 mm0.49 x 0.07 in. (90 shore)		
30	0570700019	Cap	2	
31	3315364000	Valve cover	1	
32	0663211490	O-ring, 31. 2 x 3 mm, 1.23 x 0.12 in.	2	
33	3315291900	Control valve	1	
34	0665090014	Seal, SCR 10 x 16 x 2.4 mm	2	
35	3315305000	Plug	1	
36	3315335000	Pressure relief valve, complete	1	
37	--	Pressure relief valve	1	
38	0663903201	O-ring, 15.6 x 1.78 , 0.62 x 0.07 in. (90 shore)	1	

Refer to the Parts Online web page for most up-to-date information. The printed information might be outdated.

Item	Part No.	Name	Qty	L
39	0663905401	O-ring, 10.82 x 1.78 mm , 0.43 x 0.07 in. (90 shore)	1	
40	3315369551	Restrictor standard, complete	1	G
41	0663905401	O-ring, 10.82 x 1.78 mm , 0.43 x 0.07 in. (90 shore)	1	
42	0663903201	O-ring, 15.6 x 1.78 , 0.62 x 0.07 in. (90 shore)	1	
43	--	Restrictor, ø5.1 mm, ø0.20 in.	1	
44	0544215300	Grease nipple, ISO 7-R 1/4	1	H
45	0665909954	Wiper	1	
46	0665070131	Piston rod seal	1	
47	0663211456	O-ring, 86 x 3 mm (90 shore), 3.39 x 0.12 in.	5	
48	0663210631	O-ring, 88.62 x 1.78 mm (90 shore), 3.49 x 0.07 in.	1	
49	3315291300	Liner	1	
50	0663210053	O-ring, 84.5 x 3 mm (90 shore), 3.33 x 0.12 in.	4	
51	3315291700	Piston	1	
52	0665070132	Piston rod seal	1	
53	3315293900	Back head	1	
54	3315244881	Check valve, complete	1	
55	--	Check valve	1	
56	3315280800	Valve rubber	1	
57	0147148103	Bolt	8	
58	3315304300	Base plate with through borings	1	
59	3315296490	Bolt kit	1	
60	--	Screw, M16 x 75 mm 8.8 fzb	8	
61	--	Nut, M16	8	

Comments for Page: Spare parts list

(L)OCAL REMARKS

A | For more bushings, see section "Bushing oversize, complete".

B | VSTI R 1/4 - ED

C | VSTI R 3/8 - ED

D | Screw with extra high fatigue strength.


E | VSTI R 1/8 - ED

F | There are two "Nipple, complete" on the machine.

G | Formore restrictors, see section "Restrictor, complete".


H | ISO 7-R 1/4

This page intentionally left blank


Spare parts list Optional parts - Bushing oversize, complete

Item	Part No.	Name	Qty	L
1	3315353960	Bushing oversize, complete	1	
2	--	Bushing, Ø76.5 mm, Ø3.01 in.	1	
3	3315356400	Scraper ring	1	
4	0663210612	O RING	4	
5	3315353963	Bushing oversize, complete	1	
6	--	Bushing, Ø78 mm, Ø3.07 in.	1	
7	3315356400	Scraper ring	1	
8	0663210612	O RING	4	

Spare parts list Optional parts - Restrictor, complete




Item	Part No.	Name	Qty	L
1	3315369535	Restrictor, complete	1	
2	--	O-ring, 10.82 x 1.78 mm, 0.43 x 0.07 in.	1	
3	--	O-ring, 15.6 x 1.78 mm, 0.61 x 0.07 in.	1	
4	--	Restrictor, Ø4.5 mm, Ø0.18 in.	1	
5	3315369540	Restrictor, complete	1	
6	--	O-ring, 10.82 x 1.78 mm, 0.43 x 0.07 in.	1	
6	--	O-ring, 10.82 x 1.78 mm, 0.43 x 0.07 in.	1	
7	--	O-ring, 15.6 x 1.78 mm, 0.61 x 0.07 in.	1	
7	--	O-ring, 15.6 x 1.78 mm, 0.61 x 0.07 in.	1	
8	--	Restrictor, Ø4.0 mm, Ø0.16 in.	1	

Tightening torque Tightening torque

Refer to the Parts Online web page for most up-to-date information. The printed information might be outdated.

Item	Part No.	Name	Qty	L
8	-	Hexagon socket plug - 30 Nm	-	A
14	-	Hexagon socket plug - 80 Nm	-	B
19	-	Hexagon socket screw - 120 Nm	-	C
20	-	Hexagon socket plug - 20 Nm	-	
23	-	Charge valve - 20 Nm	-	
27	-	Nipple - 210 Nm	-	
37	-	Pressure relief valve - 80 Nm	-	
43	-	Restrictor - 80 Nm	-	
44	-	Grease nipple - 30 Nm	-	
55	-	Check valve - 30 Nm	-	D
57	-	Hexagon head screw - 180 Nm	-	E
61	-	Nut - 200 Nm	-	

Working tools Working tools SB 152

Refer to the Parts Online web page for most up-to-date information. The printed information might be outdated.


Item	Part No.	Name	Qty	L
1	3083316900	Moil point	1	
1	3083316901	Moil point	1	
2	3363098250	Moil point (X-profile)	1	
3	3083317000	Chisel (cross)	1	
3	3083340934	Chisel (cross)	1	
4	3363098251	Chisel (X-profile)	1	
5	3083318200	Blunt tool	1	
6	3083317100	Wide chisel	1	
7	3083317200	Wide chisel indexed 90°	1	
8	3083317300	Asphalt cutter	1	
9	3083317400	Asphalt cutter indexed 90°	1	
10	3315370100	Shaft	1	
11	3315370600	Tamping pad (square)	1	
12	3315371400	Post driver pad (round)	1	
13	3315372100	Pile driver pad (round)	1	
14	3315372800	Bushing pad (round)	1	

Accessories Optional equipment

NO EXPLODED VIEW
AVAILABLE
FOR THIS BOM


Item	Part No.	Name	Qty	L
-	0909107100	Grease gun for 400 g cartridge	1	
-	3363094913	Chisel paste cartridge for grease gun, 12 x 400 g (0.88 lbs)	1	
-	3362263900	Chisel paste container (15 kg)	1	
-	3362263275	Chisel paste container (45 kg)	1	
-	3360920415	Filling device for accumulator	1	
-	3363094459	Nipple, for charging the accumulator	1	
-	3361329803	Filling hose for charging the accumulator	1	
-	3315353100	Bushing wear controller	1	

Accessories Hydraulic hoses



Item	Part No.	Name	Qty	L
-	3360995717	Hose, both ends 18 L(M26 x 1.5) length 1500 mm	2	
-	3362235159	Hose, both ends 18 L(M26 x 1.5) length 2000 mm	2	
-	3363083313	Hose, both ends 18 L(M26 x 1.5) length 2400 mm	2	
-	3363098018	Additional fitting kit	1	A

Kits Label kit




Item	Part No.	Name	Qty	L
1	3315290591	Label kit	1	
2	--	Sound power label	1	
3	--	Product label	2	A
4	--	Safety label	1	
5	--	AEM sign	1	
6	--	Safety label	1	

Comments for Page: Label kit


(L)OCAL REMARKS

A | "SB 152"

Kits Seal kit

Item	Part No.	Name	Qty	L
1	3315290590	Seal kit	1	
-	3315356400	Scraper ring	1	
-	0663210289	O-ring, 64.5 x 3 mm (90 shore), 2.53 x 0.12 in.	4	
-	0661100024	Seal washer	1	
-	3115329002	Seal, SRC 8 x 14 x 2.4 mm	1	
-	0663212000	O-ring 13.3 x 2.4 mm (70 shore), 0.52 x 0.09 in.	1	
-	0663211400	O-ring 7.3 x 2.4 mm (70 shore), 0.28 x 0.09 in.	1	
-	0664000003	Seal ring	2	
-	0663905501	O-ring, 12.42 x 1.78 mm 0.49 x 0.07 in. (90 shore)	2	
-	0663211424	O-ring, 31.2 x 3 mm , 1.23 x 0.12 in. (90 shore)	1	
-	0665090014	Seal, SCR 10 x 16 x 2.4 mm	2	
-	0663903201	O-ring, 15.6 x 1.78 , 0.62 x 0.07 in. (90 shore)	2	
-	0663905401	O-ring, 10.82 x 1.78 mm , 0.43 x 0.07 in. (90 shore)	2	
-	0665909954	Wiper	1	
-	0665070131	Piston rod seal	1	
-	0663210053	O-ring, 84.5 x 3 mm (90 shore), 3.33 x 0.12 in.	4	
-	0665070132	Piston rod seal	1	
-	0663211456	O-ring, 86 x 3 mm (90 shore), 3.39 x 0.12 in.	5	
-	3315280800	Valve rubber	1	
-	0663211490	O-ring, 31. 2 x 3 mm, 1.23 x 0.12 in.	2	
-	0663210631	O-ring, 88.62 x 1.78 mm (90 shore), 3.49 x 0.07 in.	1	
-	3315305000	Plug	1	

Kits Lower hammer part kit




Item	Part No.	Name	Qty	L
1	3315352140	Lower hammer part kit	1	
2	3315291680	Bushing, complete	1	
3	---	Bushing	1	
4	3315296300	Scraper ring	1	
5	0663210289	O-ring, 64.5 x 3 mm (90 shore), 2.53 x 0.12 in.	4	
6	3315291800	Stop ring	1	
7	3315293000	Lock pin	1	
8	3315147000	Retainer bar	2	
9	3315141900	Lock buffer	1	
10	--	Chisel paste cartridge	1	A

Kits Accumulator repair kit

NO EXPLODED VIEW
AVAILABLE
FOR THIS BOM

Item	Part No.	Name	Qty	L
1	3315282490	Accumulator repair kit	1	
-	3315293300	Coil spring	1	
-	3315288900	Diaphragm support	1	
-	3315289000	Diaphragm	1	
-	0211196534	Hexagon socket screw, Screw with extra high fatigue strength.	8	A
-	0686371805	Plug VSTI R 1/8-ED	1	B
-	3115329002	Seal, SRC 8 x 14 x 2.4 mm	1	
-	0663212000	O-ring 13.3 x 2.4 mm (70 shore), 0.52 x 0.09 in.	1	
-	3315366000	Charge valve	1	
-	0663211400	O-ring 7.3 x 2.4 mm (70 shore), 0.28 x 0.09 in.	1	
-	0101414000	Parallel pin D4 x 25 mm, D4 x 0.98 in.	1	

Dimensions Dimensions (mm)



Refer to the Parts Online web page for most up-to-date information. The printed information might be outdated.

Any unauthorized use or copying of the contents or any part thereof is prohibited.
This applies in particular to trademarks, model denominations, part numbers, and drawings.